

**Patrick Duxbury**

---

**From:** Joel Holder [Joel\_Holder@gov.nt.ca]  
**Sent:** Thursday, December 07, 2006 3:55 PM  
**To:** Patrick Duxbury  
**Subject:** RE: Addendum to correspondence on revised work plans for EA0506-005 (CGV) and EA0506-006 (Sidon)

Patrick,

We have reviewed the revised draft Work Plan and have no concerns with it's content or the proposed Hearing date of Feb. 06, 2007.

Thanks for providing an update.

**Joel M. Holder**

Environmental Assessment Analyst  
Policy, Legislation & Communications  
Department of Environment and Natural Resources  
Government of the Northwest Territories  
6th Floor - Scotia Centre, 5102-50th Avenue  
PO Box 1320  
Yellowknife, NT X1A 2L9

[joel\\_holder@gov.nt.ca](mailto:joel_holder@gov.nt.ca)

**Tel: (867) 920-6106**

**Fax: (867) 873-4021**

-----Original Message-----

**From:** Patrick Duxbury [mailto:PDuxbury@mveirb.nt.ca]

**Sent:** Thursday, November 30, 2006 5:08 PM

**To:** Angela Plautz; balintd@dfo-mpo.gc.ca; Gavin More; Glen MacKay; jacorn@ykdene.com; Joel Holder; mcdonaldk@dfo-mpo.gc.ca; lands@tlicho.com; Latisha Heilman; lstephenson@wascomgt.com; marcinkoski@inac.gc.ca; rae\_edzometisnation@theedge.ca; Lucianoa@theedge.ca; mike.fournier@ec.gc.ca; ramkm@yahoo.com; Robert Jenkins; Roy.scott@northwestel.net; lands&res@nsma.net; lands@nsma.net; stevecellis@yahoo.com; valerie@nsma.net; kalawas@aol.com; marcinkoskil@inac.gc.ca

**Subject:** Addendum to correspondence on revised work plans for EA0506-005 (CGV) and EA0506-006 (Sidon)

To: CGV and Sidon EA distributions lists

The deadline to comment on the revised draft Work Plan, as well as any other matter raised in the cover letter just sent to you for the above-cited EAs, is 5:00 pm Friday, December 15, 2006.

Patrick Duxbury, M.Sc.  
Environmental Assessment Officer  
Mackenzie Valley Environmental Impact Review Board  
P.O Box 938, 5102-50th Avenue  
Yellowknife, NT  
X1A 2N7

Phone: (867) 766-7062

Fax: (867) 766-7074

email: [pduxbury@mveirb.nt.ca](mailto:pduxbury@mveirb.nt.ca)